

## DESCRIPTION OF PERFORMANCE LE3S0155EN

according Construction Building Regulation 305/2011 (CPR)

Product Type:	Multi layer parquet according EN 13489
Building Product:	Scheucher Parkett (Steirer Parkett® and IMPRESSION®)
Intended use:	Interior use
Producer:	Scheucher Holzindustrie GmbH Zehensdorf 100, 8092 Mettersdorf am Saßbach <a href="http://www.scheucherparkett.at">www.scheucherparkett.at</a> <a href="mailto:info@scheucherparkett.at">info@scheucherparkett.at</a>
System of Conformity:	System 3
Harmonized Standard:	EN 14342:2013
Notified Body:	IBS Linz (notification nr. 1322) performed an initial type testing according system 3 and declared fire resistance class according EN 13501-1 and issued test reports accordingly.

### TABLE DECLARED PERFORMANCE:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONIZED TECHNICAL STANDARD
Reaction to fire	C <sub>fi</sub> -s1, min. 650 kg/m <sup>3</sup> , min. 10 mm	CWFT acc. EN 14342:2013
Emission of Formaldehyde	Class E1	EN 14342:2013
Emission of Pentachlorophenole	PCP ≤ 5 × 10 <sup>-6</sup>	EN 14342:2013
Release of other dangerous substances	fulfills AgBB-requests	AgBB-scheme <sup>[1]</sup>
Breaking strength	NPD	
Slipperiness	NPD	
Thermal conductivity	0,14 W/mK	Calculated acc. EN 14342:2013
Biological durability	Klasse 1	Declared acc. EN 14342:2013


[1] [https://www.umweltbundesamt.de/.../agbb-bewertungsschema\\_2015\\_2.pdf](https://www.umweltbundesamt.de/.../agbb-bewertungsschema_2015_2.pdf)

The performance of the product identified in paragraphs 1 and 2 is in conformity with the declared performance in table declared performance.

This declaration of performance is issued under the sole responsibility of the manufacturer identified herewith. Signed for and on behalf of the manufacturer by Mr. Ing. Karl Scheucher, CEO Scheucher Holzindustrie GmbH.

Zehensdorf, 17.5.2022

Ort und Datum



Unterschrift

**Scheucher Holzindustrie GmbH**